

\*\* Colors are approximate and are for visual purposes only.

# STRONGHOLD. SH1812 Series

STRONGHOLD® Cases from Gemstar® offer MIL-STD durability and airtight protection for high-value cargo. Featuring rotationally-molded double walls and thick corners STRONGHOLD is the choice for rugged, versatile and dependable protection.

#### **Standard Features**

- Rotationally molded, double-walled durability
- IP67 rated; watertight, airtight and dust-proof with automatic pressure relief valve
- Meets or exceeds MIL-STD 810F and meets military LLRC standards\*
- Recessed, heavy-duty black stainless steel hardware
- Field serviceable hardware
- Spring-loaded handles
- Tongue & groove construction with gasket
- Interlocking, stackable design
- Choice of 10 standard colors
- Guaranteed Performance\*
- \* See website for guarantee details, complete certifications and test procedures.

#### **Standard Models**

- SH1812-0505
- SH1812-0509
- SH1812-1005
- SH1812-1009

#### **Standard and Custom Options**


 Offering a robust selection of custom features, colors, and sizes. For more information visit
 Gemstarmfg.com, or contact your local
 Distributor or Sales Manager.









## **SH1812-0505** Top Profile



# MODEL NUMBER KEY SH 18 12 - 05 05 Length Lid Width Base Model numbers refer to interior dimensions

### SH1812-0505 Side and End Profile






| Nominal INT Dimension | 18.5"L x 12.5"W x 10.6"D<br>470L x 318W x 270D mm                               |
|-----------------------|---|
| Base Depth            | 5.5"<br>140 mm  |
| Lid Depth             | 5.1"<br>130 mm  |
| Nominal EXT Dimension | 22.0"L x 16.0"W x 12.5"D<br>559L x 406W x 318D mm                               |
| Approx. Weight        | 15.8 lbs<br>7.2 kg  |
| Features              | <ul><li>Removable lid</li><li>Stainless steel handles (2)</li><li>PRV</li></ul> |






## **SH1812-0509** Top Profile



# MODEL NUMBER KEY SH 18 12 - 05 09 Length Lid Width Base Model numbers refer to interior dimensions

### SH1812-0509 Side and End Profile






| Nominal INT Dimension | 18.5"L x 12.5"W x 15.3"D<br>470L x 318W x 389D mm                               |
|-----------------------|---|
| Base Depth            | 5.5"<br>140 mm  |
| Lid Depth             | 9.8"<br>249 mm  |
| Nominal EXT Dimension | 22.0"L x 16.0"W x 17.2"D<br>559L x 406W x 437D mm                               |
| Approx. Weight        | 18.3 lbs<br>8.3 kg  |
| Features              | <ul><li>Removable lid</li><li>Stainless steel handles (2)</li><li>PRV</li></ul> |
|                       |   |







## **SH1812-1005** Top Profile



# MODEL NUMBER KEY SH 18 12 - 10 05 Length Lid Width Base Model numbers refer to interior dimensions

### SH1812-1005 Side and End Profile






| Nominal INT Dimension | 18.5"L x 12.5"W x 15.3"D<br>470L x 318W x 389D mm                                |
|-----------------------|--|
| Base Depth            | 10.2"<br>259 mm  |
| Lid Depth             | 5.1"<br>130 mm   |
| Nominal EXT Dimension | 22.0"L x 16.0"W x 17.2"D<br>559L x 406W x 437D mm                                |
| Approx. Weight        | 18.3 lbs<br>8.3 kg   |
| Features              | <ul><li> Hinged lid</li><li> Textured plastic handles (2)</li><li> PRV</li></ul> |









## **SH1812-1009** Top Profile



# MODEL NUMBER KEY SH 18 12 - 10 09 Length Lid Width Base Model numbers refer to interior dimensions

### SH1812-1009 Side and End Profile





| Nominal INT Dimension | 18.5"L x 12.5"W x 20.0"D<br>470L x 318W x 508D mm                                |
|-----------------------|--|
| Base Depth            | 10.2"<br>259 mm  |
| Lid Depth             | 9.8"<br>249 mm   |
| Nominal EXT Dimension | 22.0"L x 16.0"W x 21.9"D<br>559L x 406W x 555D mm                                |
| Approx. Weight        | 21.2 lbs<br>9.6 kg   |
| Features              | <ul><li>Removable lid</li><li>Textured plastic handles (2)</li><li>PRV</li></ul> |

